

**Study Number:** I11054

**Test Type:** TOX

**Route:** Oral Gavage

**Species/Strain:** Mouse/B6C3F1/N

**M09M: Serum Antibody Concentrations for the T-Dependent Antigen Keyhole Limpet Hemocyanin (KLH)**

**Test Compound:** Sulfolane

**CAS Number:** 126-33-0

**Date Report Requested:** 09/01/2021

**Time Report Requested:** 10:05:18

**Lab:** BRT with EPL

**Study Number:**

I11054

**Study Gender:**

Female

**PWG Approval Date:**

See web page for date of PWG Approval

**Version:**

v1.3.2

**Stat Version:**

A

**Study Number:** I11054

**Test Type:** TOX

**Route:** Oral Gavage

**Species/Strain:** Mouse/B6C3F1/N

**M09M: Serum Antibody Concentrations for the T-Dependent Antigen Keyhole Limpet Hemocyanin (KLH)**

**Test Compound:** Sulfolane

**CAS Number:** 126-33-0

**Date Report Requested:** 09/01/2021

**Time Report Requested:** 10:05:18

**Lab:** BRT with EPL

---

**Females**

---

**Treatment Groups (mg/kg)**

---

	<b>0</b>	<b>1</b>	<b>10</b>	<b>30</b>	<b>100</b>	<b>300</b>	<b>50 mg/kg CPS</b>
anti-KLH IgM (U/mL)	8925.3 ± 1387.5 (8)	6244.1 ± 930.5 (8)	9378.4 ± 2315.9 (8)	12363.1 ± 4087.5 (8)	7446.8 ± 1307.9 (8)	9937.9 ± 1794.0 (8)	1563.0 ± 0.0 (7) **
anti-KLH IgG (U/mL)	76735.9 ± 18412.0 (8)	59519.8 ± 9369.0 (8)	107512.0 ± 40864.8 (8)	108537.1 ± 24819.6 (8)	73063.4 ± 4822.1 (8)	84134.3 ± 20177.6 (8)	313.0 ± 0.0 (8) **

---

**Study Number:** I11054

**Test Type:** TOX

**Route:** Oral Gavage

**Species/Strain:** Mouse/B6C3F1/N

**M09M: Serum Antibody Concentrations for the T-Dependent Antigen Keyhole Limpet Hemocyanin (KLH)**

**Test Compound:** Sulfolane

**CAS Number:** 126-33-0

**Date Report Requested:** 09/01/2021

**Time Report Requested:** 10:05:18

**Lab:** BRT with EPL

#### LEGEND

---

Data are displayed as mean  $\pm$  SEM (N) unless otherwise noted.

Statistical analysis was performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests.

Statistical analysis for the positive control group compared to the vehicle control group was performed using the Kruskal-Wallis test.

\* Statistically significant at  $P \leq 0.05$

\*\* Statistically significant at  $P \leq 0.01$

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

KLH - Keyhole Limpet Hemocyanin; IgM - Immunoglobulin M; IgG - Immunoglobulin G

Decrease in N for anti-KLH IgM in the 50 mg/kg CPS dose group is due to one animal's value being excluded because it was an outlier.

CPS = Cyclophosphamide

**\*\* END OF REPORT \*\***